

**AMENDMENTS TO THE CLAIMS**

1. (previously presented) A method of processing an image of a face, the method comprising the steps of:

- receiving a two dimensional facial image; and
- combining the two dimensional facial image and a standard three dimensional facial image to create a three dimensional facial image;
- adjusting a pose of the three dimensional facial image; and
- rendering a two dimensional image from the adjusted three-dimensional facial image.

2. (canceled)

3. (previously presented) The method of claim 1, wherein the standard three dimensional facial image is generated by receiving a plurality of three dimensional facial images and combining the plurality of three dimensional facial images to generate the standard three dimensional facial image.

4. (previously presented) The method of claim 1, wherein the combining step includes the steps of:

- combining the two dimensional facial image and standard three dimensional facial image to create a first intermediate three dimensional facial image;
- rendering a first intermediate two dimensional facial image based upon the first intermediate three dimensional facial image;
- comparing the first intermediate two dimensional facial image to the two dimensional facial image; and
- modifying the first intermediate three dimensional facial image based upon results of the comparison step.

5. (previously presented) The method of claim 4, wherein the combining step of claim 1 further includes the step of repeating the rendering, comparing and modifying steps a plurality of times.

6. (canceled)

7. (previously presented) The method of claim 4, further comprising the step of: rendering a final two dimensional image from the three dimensional facial image according to a selected lighting.

8. (original) A facial identification method comprising the steps of:  
receiving a two dimensional facial image;  
creating a three dimensional facial image from the two dimensional facial image;  
adjusting a pose of the three dimensional facial image;  
rendering an adjusted two dimensional facial image from the adjusted three dimensional facial image; and  
comparing the rendered two dimensional facial image to at least one stored two dimensional facial image to determine a match.

9. (original) The facial identification method of claim 8, wherein the comparing step includes:  
comparing the rendered two dimensional image to a plurality of stored two dimensional facial images to determine a closest match.

10. (original) The facial identification method of claim 8, wherein the step of creating a three dimensional facial image includes the step of combining the two dimensional facial image and a standard three dimensional facial image to create a three dimensional facial image.

11. (canceled)

12. (currently amended) The facial identification method of claim 44 ~~10, wherein the step of creating the~~ further comprising generating the standard three dimensional facial image includes

~~the steps of:~~ by receiving a plurality of three dimensional facial images; and combining the plurality of three dimensional facial images to create generate the standard three dimensional facial image.

13. (previously presented) A system for identifying an individual comprising:  
a camera for acquiring a two dimensional facial image;  
means for creating a three dimensional facial image from the two dimensional facial image;  
means for adjusting a pose of the three dimensional facial image;  
means for rendering a final two dimensional image from the adjusted three dimensional image; and  
means for comparing the final two dimensional image to at least one stored two dimensional image to determine a match.

14. (original) The system for identifying an individual according to claim 13, further comprising:  
a database of stored two dimensional images; and  
wherein the means for comparing includes means for comparing the final two dimensional image to at least one stored two dimensional image in the database of stored two dimensional images.

15. (original) The system for identifying an individual according to claim 14, wherein the means for comparing includes means for comparing the final two dimensional image to a plurality of stored two dimensional images in the database to determine a closest match.

16. (canceled)

17. (original) The system for identifying an individual according to claim 13, wherein the means for rendering includes means for rendering the final two dimensional facial image based upon a selected lighting.

18. (original) The system for identifying an individual according to claim 13, wherein the means for creating a three dimensional facial image includes:

means for combining the two dimensional facial image with a standard three dimensional facial image to create an intermediate three dimensional facial image; and

means for rendering an intermediate two dimensional facial image from the intermediate three dimensional facial image;

means for comparing the intermediate two dimensional facial image to the two dimensional facial image; and

means for adjusting the intermediate three dimensional facial image based upon results of the comparison of the intermediate two dimensional facial image to the two dimensional facial image.

19. (previously presented) A system for creating a three dimensional facial image from a two dimensional facial image comprising:

a memory storing a standard three dimensional facial image;

means for adjusting a pose of the standard three dimensional facial image; and

means for combining the two dimensional facial image and the adjusted standard three dimensional facial image to create the three dimensional facial image.

20. (original) The system for creating a three dimensional facial image from a two dimensional facial image according to claim 19, wherein the means for combining includes:

means for combining the two dimensional facial image with a standard three dimensional facial image to create an intermediate three dimensional facial image; and

means for rendering an intermediate two dimensional facial image from the intermediate three dimensional facial image;

means for comparing the intermediate two dimensional facial image to the two dimensional facial image; and

means for adjusting the intermediate three dimensional facial image based upon results of the comparison of the intermediate two dimensional facial image to the two dimensional facial image.